

MATERIAL SAFETY DATA SHEET

TERM-seal Ura-Fen Active

TERM-seal Pty Ltd.
18 Highfield Circuit
Port Macquarie
NSW 2444

Telephone: (02) 6583 6699
Facsimile: (02) 6583 5699

EMERGENCY: 0409 874477
24 Hours

Date of Issue: September 2007

MSDS Number: 0URAFENA-001

STATEMENT OF HAZARDOUS NATURE

Classified as non-hazardous according to criteria of Worksafe Australia.

PRODUCT IDENTIFICATION

PRODUCT NAME	TERM-seal Ura-Fen Active
Other Names:	None
Manufacturer's Product Code:	OTS-URAFENA
U.N. Number:	None allocated
Dangerous Goods Class and Subsidiary Risk:	None allocated
Hazchem Code:	None allocated
Poisons Schedule Number:	None allocated

Use Flexible polyurethane foam barrier to termite entry.

Physical Description/Properties

Appearance:	Purple solid (foam)
Vapour Pressure:	Not applicable
Specific Gravity:	Variable
Solubility in Water:	Not soluble

Ingredients

Component	CAS Number	Proportion
Bifenthrin	82657-04-3	0.2%
Polyurethane solid	Mixture	to 100%

HEALTH HAZARD INFORMATION

Health Effects

Acute

Swallowed:	Do not induce vomiting. Not a likely route of exposure.
Eye:	If mechanical cutting or grinding produces dust that enters the eyes, flush with plenty of water for at least 15 minutes, ensuring eye lids are held open. If irritation develops or persists seek medical attention.
Skin:	If mechanical cutting or grinding produces dust that falls onto the skin, remove contaminated clothing and wash skin thoroughly with soap and

TERM-seal URA-FEN Active

	water. If irritation develops or persists seek medical attention. May cause irritation in some sensitive individuals with repeated or prolonged contact.
Inhaled:	Not a likely route of exposure. If the foam is chemically changed by burning or heating then vapours will be produced. In this case, increase ventilation or move exposed person to fresh air. If symptoms develop seek medical attention.
Chronic	No known adverse effects.

PRECAUTIONS FOR USE

Exposure Standards	None allocated
Engineering Controls	None required
Personal Protection	
Respirator Type	No special requirements. Avoid breathing dusts. Dust mask should be worn when dusts are produced.
Glove Type:	Disposable latex gloves.
Eye Protection:	Wear safety glasses with side shields, goggles or face shield if mechanically cutting or grinding the polyurethane solid.
Clothing:	No special requirements.
Flammability	Will smoulder if involved in a major fire. May give off highly toxic fumes including hydrogen cyanide.

SAFE HANDLING INFORMATION

Storage and Transportation

Location:	Store in a dry, cool place out of direct sunlight.
Storage Incompatibilities:	Strong acids, alkalis, combustibles and oxidizing agents.
Dangerous Goods Class/ Subsidiary Risk:	Not classified as dangerous goods for transport or storage.

Spills and Disposal

Minimising Spills/Leaks:	Not applicable.
Clean up Spills/Leaks:	Not applicable
Precautions for Clean-Up Crew:	Not applicable

Fire/Explosion Hazard

Hazards of Use/Storage:	None known.
List of Dangerous Decomposition or Combustion Products:	May give off toxic fumes of carbon monoxide, carbon dioxide and hydrogen cyanide if involved in a major fire.
Types of Extinguisher/Fire-fighting Agents:	Use extinguisher in accordance with primary source of the fire.

CONTACT POINT

Title:	Technical Manager
Telephone Number:	(02) 6583 5699